

KANSAS AGRICULTURAL STATISTICS**Room 200, 632 S.W. van Buren, P.O. Box 3534, Topeka, KS 66601-3534, USA.*****Jagalene recaptures number one.***

Jagalene became the leading cultivar of wheat seeded in Kansas for the 2008 crop. Overley held this position last year. Accounting for 18.0 percent of the state's wheat, Jagalene was the most popular cultivar in five of the nine districts. Overley moved down to second place, with 17.3 percent of the acreage. Overley decreased 6 points but was the most popular cultivar in three of the nine districts. Jagger came in third at 14.7 percent, down 2.4 points. TAM 111 remained in fourth place, with 7.3 percent of the acreage. Sante Fe moved up to fifth place with 5.8 percent of the state's acreage. T81 moved up to sixth place at 2.8 percent while the KSU-maintained cultivar 2137 moved down to seventh place at 2.8 percent. TAM 112 moved up to eighth place with 1.6 percent of the acreage. TAM 110 moved down to ninth place with 1.4 percent of the acreage. Danby, a hard white cultivar, rounded out the top ten at 1.2 percent. Acres planted with blended cultivars were not included in the rankings by cultivar. Blends accounted for 10.4 percent of the state's planted acres and were used more extensively in the north-central, northeast, and central areas of the state. Out of the total acres planted with blends, 51.3 percent included Jagalene in the blend, 45.4 percent had Overley in the blend, and 44.7 included Jagger. Hard white cultivars accounted for 1.9 percent of the state's acreage. Danby was the leading hard white cultivar, accounting for 59 percent of the state's white wheat. The majority of the white wheat was planted in the western third of the State. This Wheat Variety Project is funded by the Kansas Wheat Commission.

Table 1. Top 10 wheat cultivars grown in the state of Kansas for the 2008 crop and percent of seeded acreage.

1. Jagalene	18.0	6. T81	2.8
2. Overley	17.3	2137	2.8
3. Jagger	14.7	8. TAM 112	1.6
4. TAM 111	7.3	9. TAM 110	1.4
5. Santa Fe	5.8	10. Danby	1.2





Table 2. Distribution of Kansas winter wheat cultivars, 2008 crop (— = cultivar not reported in this district; 0 = < 1%).

Cultivar	Agricultural Statistics Districts									
	NW	WC	SW	NC	C	SC	NE	EC	SE	State
percent of seeded acreage										
Jagalene	28.0	23.0	24.3	17.2	18.6	11.5	5.0	28.2	13.6	18.0
Overley	0.6	0.8	0.6	10.6	19.5	34.2	9.3	22.0	30.4	17.3
Jagger	12.8	7.1	13.3	9.1	15.9	19.6	4.0	11.4	12.9	14.7
TAM 111	14.5	20.7	19.3	1.9	3.6	0.7	—	—	—	7.3
Santa Fe	0.0	0.0	—	7.9	10.0	8.8	11.1	5.1	5.1	5.8
T81	7.3	9.5	5.5	0.5	0.2	0.7	—	—	—	2.8
2137	1.0	3.6	1.7	2.6	3.9	2.6	14.0	7.1	5.9	2.8
TAM 112	2.8	5.7	4.1	0.3	0.3	0.3	—	—	—	1.6
TAM 110	0.4	4.2	6.9	—	—	—	—	—	—	1.4
Danby-HWWW	3.9	1.8	3.1	0.2	0.8	—	—	0.0	—	1.2
Cutter	0.1	0.2	0.1	1.1	0.5	2.0	0.2	0.2	0.2	0.9
Postrock	0.9	0.1	0.6	1.4	1.0	1.1	0.2	3.2	0.5	0.9
2174	—	0.1	—	0.0	0.5	1.8	—	1.9	6.3	0.9
Thunderbolt	3.4	2.3	0.7	0.4	0.6	0.1	—	—	—	0.9
Karl/Karl 92	0.1	0.4	—	3.8	0.6	0.2	16.6	2.8	1.2	0.8
2145	1.0	—	—	2.6	0.9	0.1	11.7	0.8	0.8	0.6
Ike	0.6	1.2	1.1	—	0.7	0.2	—	—	0.0	0.5
Protection	—	—	0.0	0.0	0.8	0.7	0.0	—	—	0.4
Stanton	2.0	0.1	0.7	—	—	0.1	—	—	—	0.3
Wesley	1.4	0.2	—	1.3	—	—	3.5	1.2	0.2	0.3
T136	—	0.0	0.9	0.2	0.1	0.4	—	—	0.1	0.3
Hatcher	1.4	0.8	—	—	—	0.1	—	—	—	0.3
Fuller	—	0.0	—	0.1	0.8	0.3	0.7	0.1	0.1	0.3
Keota	1.7	0.3	—	—	0.2	—	—	—	—	0.2
NuHills-HWWW	0.5	0.5	0.6	—	—	0.0	—	—	—	0.2
Larned	—	0.0	0.8	—	0.1	0.2	—	—	—	0.2
Above	1.2	0.3	0.3	—	—	—	—	—	—	0.2
Dumas	0.5	—	1.1	—	—	—	—	—	—	0.2
TAM 107	0.4	0.7	0.3	—	0.2	0.0	—	—	—	0.2
Dominator	0.1	—	—	0.3	0.8	—	0.1	0.9	—	0.2
Shocker	—	—	0.1	0.0	0.7	0.1	0.0	—	0.2	0.2
Millennium	1.3	0.2	—	0.2	—	—	0.1	0.8	0.0	0.2
Ankor	—	1.3	0.3	—	—	—	—	—	—	0.2
Trego-HWWW	0.4	0.4	0.3	0.4	—	—	—	—	—	0.2
2163	—	—	—	—	0.4	0.2	1.0	1.8	0.1	0.2
Blends	4.6	5.6	6.0	34.2	11.9	7.2	18.2	2.7	3.8	10.4
Other HWWW Cultivars	0.2	0.2	2.2	0.1	0.1	0.1	—	0.0	0.0	0.3
Other HRWW Cultivars	6.9	8.7	5.1	3.5	6.3	6.7	4.3	9.6	14.8	6.5
All Soft Red Cultivars	—	—	—	0.1	0.0	0.0	—	0.2	3.8	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Table 3. Distribution of Kansas winter wheat cultivars, 1999–2008.

Cultivar	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
percent of seeded acreage										
Jagalene	—	—	—	—	—	3.0	21.2	27.2	23.1	18.0
Overley	—	—	—	—	—	0.1	2.2	16.3	23.3	17.3
Jagger	29.2	34.0	35.8	42.8	45.2	40.9	28.2	19.7	17.1	14.7
TAM 111	—	—	—	—	—	—	1.5	2.2	4.0	7.3
Santa Fe	—	—	—	—	—	—	—	0.2	1.3	5.8
T81	—	0.2	0.2	0.8	0.6	1.8	1.6	2.6	2.0	2.8
2137	22.0	23.1	22.3	15.5	13.3	8.6	5.7	3.1	2.9	2.8
TAM 112	—	—	—	—	—	—	—	—	0.4	1.6
TAM 110	0.5	1.3	2.8	3.0	3.8	4.2	3.3	2.2	1.5	1.4
Danby-HWWW	—	—	—	—	—	—	—	—	0.7	1.2
Cutter	—	—	—	—	—	0.7	1.7	1.8	2.1	0.9
Postrock	—	—	—	—	—	—	—	—	—	0.9
2174	—	1.1	3.0	3.1	3.1	2.8	3.0	1.2	1.1	0.9
Thunderbolt	—	—	0.2	0.6	0.8	1.4	1.7	1.1	0.4	0.9
Karl/Karl 92	5.9	3.5	3.3	3.6	3.2	2.3	1.5	1.1	1.0	0.8
2145	—	—	—	—	—	—	1.5	2.2	0.8	0.5
Ike	5.5	4.1	3.6	2.6	2.1	2.0	1.4	1.1	1.2	0.5
Protection	—	—	—	—	—	—	—	0.2	0.3	0.4
Stanton	—	—	—	0.1	0.6	1.4	1.4	0.8	0.2	0.3
Wesley	—	—	—	—	0.1	0.1	0.1	0.3	0.4	0.3
T136	—	—	—	—	—	—	—	—	—	0.3
Hatcher	—	—	—	—	—	—	—	—	—	0.3
Fuller	—	—	—	—	—	—	—	—	—	0.3
Keota	—	—	—	—	—	—	—	—	—	0.2
NuHills-HWWW	—	—	—	—	—	—	0.3	0.2	0.2	0.2
Larned	1.9	1.2	1.0	0.9	0.8	0.4	0.3	0.2	0.3	0.2
Above	—	—	—	—	—	0.2	0.1	0.1	—	0.2
Dumas	—	—	—	—	—	0.1	0.2	—	—	0.2
TAM 107	8.3	6.3	5.3	2.9	2.3	1.3	1.0	0.4	0.1	0.2
Dominator	0.8	1.4	1.5	2.0	2.2	1.5	1.1	0.8	0.4	0.2
Shocker	—	—	—	—	—	—	—	—	—	0.2
Millennium	—	—	—	—	—	—	—	0.1	0.1	0.2
Ankor	—	—	—	—	—	—	—	—	—	0.2
Trego-HWWW	—	—	0.3	0.8	1.8	3.5	2.9	0.4	0.5	0.2
2163	3.4	2.3	2.0	1.3	0.8	0.3	0.2	0.2	0.2	0.2
Blends	6.1	7.5	7.0	11.4	12.8	15.2	11.3	10.0	10.4	10.4
Other HWWW Cultivars—	0.2	0.5	0.3	0.9	1.4	0.7	0.7	0.3	0.3	0.3
Other HRWW Cultivars	16.4	13.8	11.2	8.1	5.5	5.3	6.5	5.7	3.9	6.5
All Soft Red Cultivars	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0